

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...




























Results of Search in 1976 to present db for:

ACLM/"comprised of": 113671 patents.

Hits 1 through 50 out of 113671

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

PAT. NO.	Title
1 6,718,532	Charged particle beam exposure system using aperture mask in semiconductor manufacture
2 6,718,469	System and method for executing computer virus definitions containing general purpose programming language extensions
3 6,718,451	Utilizing overhead in fixed length memory block pools
4 6,718,445	System and method for performing dynamic buffer management in an HFS (hierarchical file system DF/SMS)
5 6,718,362	Extending functionality of network I/O APIS by using call-back mechanisms
6 6,718,361	Method and apparatus for reliable and scalable distribution of data files in distributed networks
7 6,718,360	Providing predictable scheduling of programs using a repeating precomputed schedule
8 6,718,317	Methods for identifying partial periodic patterns and corresponding event subsequences in an event sequence
9 6,718,300	Method and apparatus for reducing aliasing in cascaded filter banks
10 6,718,260	Reconfigurable menu display for a vehicle navigation system
11 6,718,231	Authoring system and authoring method, and storage medium
12 6,718,225	Device for controlling a machine for cutting blanks

- from a sheet material
- 13 6,718,218  CAD data model with design notes
- 14 6,718,136  Flexible flashlight extension
- 15 6,718,104  Tiled electro-optic interactive display and illumination apparatus
- 16 6,718,098  Two-way optical communication module and method for manufacturing the same
- 17 6,718,080  Optical programmable delay system
- 18 6,718,064  Image compression and expansion apparatus
- 19 6,718,038  Cryptographic method using modified fractional fourier transform kernel
- 20 6,718,011  Planar image detector for electromagnetic rays, particularly X-rays
- 21 6,718,001  Nuclear reactor
- 22 6,717,988  Scalable MPEG-2 decoder
- 23 6,717,966  Calibration focus position
- 24 6,717,950  Method and apparatus for priority-based load balancing for use in an extended local area network
- 25 6,717,852  Nonvolatile semiconductor memory device capable of concurrently and reliably writing/erasing and reading memory cores
- 26 6,717,850  Efficient method to detect process induced defects in the gate stack of flash memory devices
- 27 6,717,799  Low profile EMI shield with heat spreading plate
- 28 6,717,797  Apparatus, methods and articles of manufacture for a module box with integrated components
- 29 6,717,747  Image pickup lens
- 30 6,717,738  Optical element, metal mold for producing optical element and production method for optical element
- 31 6,717,719  Coherent optical beam combination using double-coated glass mirrors/mirror pairs
- 32 6,717,698  Tone scale processing based on image modulation activity
- 33 6,717,665  Polarimeter
- 34 6,717,576  Deferred shading graphics pipeline processor having advanced features
- 35 6,717,527  Vehicle location system
- 36 6,717,507  Radio frequency tags for media access and control
- 37 6,717,424  Electrode and fixture for measuring electronic components
- 38 6,717,419  Liquid dielectric capacitor for film thickness mapping
- 39 6,717,384  Frequency changer protection circuit for controlling the acceleration of an electric vehicle



- 40 [6,717,383](#) [Fountain control for generating dynamically changing flow patterns](#)
- 41 [6,717,351](#) [Apparatus and method for forming cold-cathode field emission displays](#)
- 42 [6,717,335](#) [Composite vibration device](#)
- 43 [6,717,324](#) [Magnet motor device](#)
- 44 [6,717,318](#) [Electric motor](#)
- 45 [6,717,296](#) [Lithographic apparatus and motor for use in the apparatus](#)
- 46 [6,717,234](#) [Resistive memory for data storage devices](#)
- 47 [6,717,227](#) [MEMS devices and methods of manufacture](#)
- 48 [6,717,128](#) [Offset reduction in image sensors](#)
- 49 [6,717,060](#) [Circuit board consisting of at least two individual circuit board layers made of plastic](#)
- 50 [6,717,029](#) [Absorbent article having an ideal core distribution and method of preparing same](#)
-

